

SCIENTIFIC ARTICLES/ CLINICAL STUDIES

Sodium Phenylbutyrate

(4-Phenylbutyric Acid, Sodium Salt)

CANCER

- Welsch, L., Welsch, T., Dovzhanskiy, I., Felix, K., Giese, N.A., Krysko, D. Impact of the histone deacetylase inhibitor 4-phenylbutyrate on the clearance of apoptotic pancreatic carcinoma cells by human macrophages. *International Journal of Oncology*, 2012, 40(2). P. 427-435
- Chen WQ, Feng FL, Gu HB, et al. Effect of sodium phenylbutyrate on the apoptosis of human tongue squamous cancer cell line and expression of p21 and surviving genes. *Zhonghua Kou Qiang Yi Xue Za Zhi*, July 2010; 45(7):416-20
- De-shum, Pan, Wei-qiang, Chen. The effects of sodium phenylbutyrate (SPB) on the expression of p21 and survivine genes on human tongue squamous cancer cell line Tca8113. *Chinese Pharmacological Bulletin*, February 2010
- Steinmann, J., Halldórsson, S., Agerberth, B., Gudmundsson, G.H. Phenylbutyrate Induces Antimicrobial Peptide Expression. *Antimicrobial Agents and Chemotherapy*, Page. 5127-5133, Vol. 53, December 2009
- Holm, E; Schade, I. Effects of short-chain and saturated long-chain fatty acids on tumor growth-in vitro and experimental in vivo effects. *Aktuelle Ernährungsmedizin* 2008;33(5):225-230.
- Cortez, CC; Jones, PA. Chromatin,cancer and drug therapies. *Mutat Res-Fundam Mol Mech Mutagen* 2008;647(1-2):44-51.
- Murahari, S; Jalkanen, AL; Kulp, SK; Chen, C-S; Jubala, CM; Fosmire, SP; Modiano, JF; Fossey, SL; London, CA, Kisseberth, WC.OSU-HDAC42, a novel histone deacetylase inhibitor with potent antitumor effects on human and canine osteosarcoma cells. *Proceedings of the American Association for Cancer Research Annual Meeting* 2008;49:578.
- Wang, C., Meng, M., Zhang, J., Jin, C., Jiang, J., Ren, H., Jiang, J., Qin, C., and Yu, D. *Chinese Medical Journal* 2008; 121(17):1707-1711.
- Burkitt, Kyunghee and Ljungman, Mats. Phenylbutyrate interferes with the Fanconi anemia and BRCA pathway and sensitizes head and neck cancer cells to cisplatin. *Molecular Cancer* 7:24, March 2008.

- Svechnikova, Irina, Almqvist, Per M., Ekström, Tomas J. HDAC inhibitors effectively induce cell type-specific differentiation in human glioblastoma cell lines of different origin. *International Journal of Oncology* 32:821-827, 2008
- Huynh, L; Grant, J; Leroux, JC; Delmas, P; Allen, C. Prediction the solubility of the anti-cancer agent docetaxel in small molecule excipients using computational methods. *Pharm Res* 2008; 25:147-157.
- Hurtubise, A; Bernstein, ML; Momparler, RL. Preclinical evaluation of the antineoplastic action of 5-aza-2'-deoxycytidine and different histone deacetylase inhibitors on human Ewing's sarcoma cells. *Cancer Cell Int* 2008;8:16.
- Koutsourea, AI; Foustieris, MA; Arsenou, ES; Papageorgiou, A; Pairas, GN; Nikolaropoulos, SS. Rational design, synthesis and in vivo evaluation of the antileukemic activity of six new alkylating steroidal esters. *Bioorg Med Chem* 2008; 16(9):5207-5215.
- Estey, E. New drugs in acute myeloid leukemia. *Seminars in Oncology* 2008;35(4):439-448.
- Picard, V; Bergeron, A.; Larue, H; Fradet, Y. MAGE-A9 mRNA and protein expression in bladder cancer. *Int J Cancer* 2007; 120 (10):2170-2177.
- Vila-Carriles, WH; Zhou, Z-H; Bubien, JK; Fuller, CM; Benos, DJ. Participation of the chaperone Hsc70 in the trafficking and functional expression of ASIC2 in glioma cells. *J Biol Chem* 2007;282(47):34381-34391.
- Entin-Meer, M; Rephaeli, A; Yang, X; Nudelman, A; Haas-Kogan, DA. AN-113, a novel prodrug of 4-phenylbutyrate with increased anti-neoplastic activity in glioma cell lines. *Cancer Lett* 2007; 253(2):205-214.
- Christov, Konstantin, Grubbs, Clinton J; Shilkaitis, Anne, Juliana, M Margaret; Lubet, Ronald A. Short-term modulation of cell proliferation and apoptosis and preventive/therapeutic efficacy of various agents in a mammary cancer model. *Clin Cancer Res* 2007; 13(18 Part. 1):5488-5496.
- Christov, K; Grubbs, C; Juliana, M; Luber, R. Correlation of the preventive/therapeutic efficacy of agents in the methylnitrosourea (MNU) mammary cancer model with changes in cell proliferation and apoptosis following short-term treatment. *Proceedings of the American Association for Cancer Research Annual Meeting* 2007; 48:997.
- Sung, MW; Waxman, S. Combination of cytotoxic-differentiation therapy with 5-fluorouracil and phenylbutyrate in patients with advanced colorectal cancer. *Anticancer Res* 2007;27(2):995-1001.
- Caraway, HE; Gore, SD. Addition of histone deacetylase inhibitors in combination therapy. *J. Clin Oncol* 2007; 25(15):1955-1956.
- Verheul, HMW; Qian, DZ; Carducci, MA; Pili, R. Sequence-dependent antitumor effects of differentiation agents in combination with cell cycle-dependent cytotoxic drugs. *Cancer Chemother Pharmacol* 2007; 60(3):329-339.
- Ammerpohl, O; Trauzold, A; Schniewind, B; Griep, U; Pilarsky, C; Grutzmann, R; Saeger, H-D; Janssen, O; Sipos, B; Kloppel, G; Kalthoff, H. Complementary effects of HDAC inhibitor 4-PB on gap junction communication and cellular export mechanisms support restoration of chemosensitivity of PDAC cells. *Br J Cancer* 2007; 96(1):73-81.

- Jiemjit, A; Fandy, TE; Baylin, SB; Carraway, H; Herman, JG; Gore, SD. Sequential administration of DNA methyltransferase inhibitors (DNMTi) and histone deacetylase inhibitors (HDACi) induces apoptosis with caspase and reactive oxygen species (ROS)-dependent synergy. Proceedings of the American Association for Cancer Research Annual Meeting 2007; 48:249.
- Hattori, Y; Fukushima, M; Maitani, Y. Non-viral delivery of the connexin 43 gene with histone deacetylase inhibitor to human nasopharyngeal tumor cells enhances gene expression and inhibits in vivo tumor growth. Int J Oncol 2007;30(6):1427-1439.
- Lyon, CM; Klinge, D; Liechty, KC; Grimes, MJ; Grimes, J; Thomas, C; March, T; Stidley, C; Keith, R; Belinsky, SA. Rosiglitazone prevents the progression of pre-invasive lung cancer in a murine model. Proceedings of the American Association for Cancer Research Annual Meeting 2007; 48:395.
- Cunha De Santis , G; de Barros Tamarozzi, M; Sousa, RB; Moreno, Se; Secco, D; Garcia, AB; Lima, ASG; Faccioli, LH; Falcao, RP; Cunha, FQ; Rego, EM. Adhesion molecules and Differentiation Syndrome: phenotypic and functional analysis of the effect of ATRA, As203, phenylbutyrate, and G-CSF in acute promyelocytic leukemia. Haematologica 2007; 92(12):1615-1622.
- Meng, M; Wang, C-T; Jiang, J-M; Zhang, J-C; Jiang, J-J; Jin, C-J. Expression of histone deacetylase 4 in human liver carcinoma cell line Bel-7402 and its significance. Chinese Journal of Cancer Biotherapy Chin. J. cancer Biother 2007; 14(2):153-157.
- Lu, Y-S; Kashida, Y; Kulp, SK; wang, Y-C; Wang, D; Hung, J-H; Tang, M; Lin, Z-Z; Chen, T-J; Cheng, A-L; Chen, C-S. Efficacy of a novel histone deacetylase inhibitor in murine models of hepatocellular carcinoma. Hepatology 2007; 46(4):1119-1130.
- Svechnikova, I; Ammerpohl, O; Ekstroem, TJ. P21waf1/Cip1 partially mediates apoptosis in hepatocellular carcinoma cells. Biochem Biophys Res Commun 2007; 354(2):466-471.
- Lu, Y-S; Kashida, Y; Jung, J-H; Chen, C-S; Wang, Y-C; Cheng, A-L; Chen, C-S. In vivo efficacy of OSH-HDAC42, a novel phenylbutyrate-based histone deacetylase inhibitor, in human hepatocellular carcinoma animal models. Proceedings of the American Association for Cancer Research Annual Meeting 2007; 48:169.
- Lubbert, M; Claus, R. Epigenetic inactivation of gene expression. New therapeutic targets in hematology. Onkologie 2007;13(1):46-55. lindsay@customvite.com or service@nutrilab.com.
- Claus, R; Router, B, Lubbert, M. Targets of epigenetics therapy-Gene reactivation as a novel approach in MDS treatment. Cancer Treat Rec 2007; 33(Suppl. 1):S47-S52.
- Luebbert, M. Which myelodysplastic syndromes patients are candidates for treatment with decitabine. Leukemia Research 2007; 31(Suppl. 1):S20.
- Gore, SD. Do histone deacetylase inhibitors have a place in the treatment of myelodysplastic syndromes? Leukemia Research 2007; 31(Suppl. 1):S21.
- Phillips, JA; Griffin, BE. Pilot study of sodium phenylbutyrate as adjuvant in cyclophosphamide-resistant endemic Burkitt's lymphoma. Trans R Soc Trop Med Hyg 2007; 101(12):1265-1269.

- Milkevitch, M; Jeitner, TM; Beardsley, NJ; Delikatny, EJ. Lovastatin enhances phenylbutyrate-induced MR-visible glycerophosphocholine but not apoptosis in DU145 prostate cells. *Biochim Biophys Acta* 2007; 1771(9):1166-1176.
- Phillips John A., Griffin, Beverly E. Pilot study of sodium Phenylbutyrate as adjuvant in cyclophosphamide-resistant endemic Burkitt's lymphoma. *Royal Society of Tropical Medicine and Hygiene* doi:10.1016/j.trstmh.2007.06.0200.
- Lopez, CA, Feng, FY, Herman, JM, Nyati, MK, Lawrence, TS, Ljungman, M. Phenylbutyrate Sensitizes Human Glioblastoma Cells Lacking Wild-Type P53 Function To Ionizing Radiation. *Int. J. Radiation Oncology Biol. Phys.*, Vol. 69, No. 1, PP. 214-220, 2007.
- L.H. Camacho, J. Olson, W.P. Tong, .W. Young, D.R. Spriggs, M.G. Malkin. Phase I dose escalation clinical trial of phenylbutyrate sodium administered twice daily to patients with advanced solid tumors. *Invest. New Drugs*, 2007 25:131-138.
- Vila-Carriles, WH; Kovacs, GG; Bubien, JK; Gillespie GY; Fuller, CM; Benos, DJ. Cellular localization of acid sensing ion channels in human astrocytes and gliomas. *FASEB Journal* 2006; 20(4, Part1):A325.
- Christov, K; Grubbs, C; Lubet, R; Altered cell proliferation and apoptosis as biomarkers for identifying preventive/therapeutic agents against chemically induced mammary cancers. *Breast Cancer Research and Treatment* 2006; 100(Suppl. 1):S58.
- Lea, MA; Ibeh, C; Shah, N; Moyer, MP. Enhanced differentiation of colon cancer cells induced by combinations of inhibitors of kinases and of histone deacetylases. *Proceedings of the American Association for Cancer Research Annual Meeting* 2006; 47:1184.
- Gore, SD; Jiemjit, A; Silverman, LB; Aucott, T; Baylin, S; Carraway, H; Douses, T; Fandy, T; Herman, J; Karp, JE; Licht, JD.; Murgo, AJ.; Odchimar-Reissig, R; Smith, BD; Zwiebel, JA.; Sugar, E. Combined methyltransferase/Histone deacetylase inhibition with 5Azacitidine and MS-275 in patients with MDS, CMMoL and AML: Clinical response, Histone Acetylation and DNA damage. *Blood* 2006; 108(11, part 1):156A-157A.
- Sun, J; Liu, S; Yu, J; Wei, M; Mao, C; Ding, H; Kearney, J; Huynh, L; Paschka, P; Wang, D; Klisovic, RB; Perrotti, D; Chen, C-S; Blum, WG; Marcucci, G. Characterization of HDAC1 OSU42 as a novel histone deacetylase inhibitor in AML cell lines. *Blood* 2006; 108(11 Part 1):563A.
- Gore, SD; Baylin, S; Sugar, E; Carraway, H; Miller, CB; Carducci, M; Grever, M; Galm, O; Douses, T; Karp, JE; Rudek, MA; Zhao, M; Smith, BD; Manning, J; Jiemjit, A; Dover, G; Mays, A; Zwiebel, J; Murgo, A; Weng, L-J; Herman, JG. Combined DNA methyltransferase and histone deacetylase inhibition in the treatment of myeloid neoplasms. *Cancer Res* 2006; 66(12):6361-6369.
- Brock, MV. Clinical aspects of molecular biology for the diagnosis and treatment of esophageal cancer. *Esophagus* 2006; 3(3):91-94.
- Beyer, SJ; Kulp, SK; Baird, M; Auer, H; Kornacker, K; Chen, C-S; Beer, DG; Kresty, LA. The effects of a phenylbutyrate-driven histone deacetylase inhibitor (HDAC-42) on acid-induced gene expression patterns of SEG-1 human esophageal adenocarcinoma cells. *Proceedings of the American Association for Cancer Research Annual Meeting* 2006; 47:1128-1129.

- West, DA; Lucas, DM; Davis, ME; De lay, MD; Johnson, AJ; Guster, SE; Freitas, MA; Parthun, MR; Wang, D; Kulp, SK; Grever, MR; Chen, C-S; Byrd, JC. The novel histone deacetylase inhibitor OSU-HDAC42 has class I and II histone deacetylase (HDAC) inhibitory activity and represents a novel therapy for chronic lymphocytic leukemia. *Blood* 2006; 108(11 Part 1): 794A-795A.
- Lyon, CM; Klinge, D; Liechty, KC; Belinsky, SA. DNA demethylating agents and a PPA-gamma agonist cooperate to induce apoptosis in lung cancer cell lines. *Proceedings of the American Association for Cancer Research Annual Meeting* 2006; 47:10.
- Meletis, J; Viniou, N; Terpos, E. Novel agents for the management of myelodysplastic syndromes. *Med Sci Monit* 2006; 12(9):RA 194-RA206.
- Kulp, SK; Chen, C-S; Wang, D-S; Chen, C-Y; Chen, C-S. Antitumor effects of a novel phenylbutyrate-based histone deacetylase inhibitor, (S)-HDAC-42, in prostate cancer. *Clin Cancer Res* 2006; 12(17):5199-5206.
- Wanda H. Vila-Carriles, Gergely Gy Kovacs, Biljana Jovov, Zhen-Hong Zhou, Amit K. Pahwa, Garrett Colby, Ogenna Esimai, G. Yancey Gillespie, Timothy B. Mapstone, James M. Markert, Catherine M. Fuller, James K. Bubien, Dale J. Benos. Surface Expression of ASIC2 Inhibits the Amiloride-sensitive Current and Migration of Glioma Cells. *The Journal of Biological Chemistry* VOL. 281, NO> 28, pp. 19220 – 19232, July 14, 2006.
- Mack, GS. Epigenetic cancer therapy makes headway. *Journal of the National Cancer Institute* 2006;98(20):1443-1444.
- Fouladi, M. Histone deacetylase inhibitors in cancer therapy. *Cancer Investigation* 2006;24(5):521-527.
- Galm, O; Herman, JG; Bbaylin, SB. The fundamental role of epigenetics in hematopoietic malignancies. *Blood Rev* 2006;20(1):1-13.
- P. Malask, S. Chanel, L.H. Camacho, S. Soignet, P.O. Dandolfi, I. Guernah, R. Warrell, S. Nimer. Pilot study of combination transcriptional modulation therapy with sodium phenylbutyrate and 5-azacytidine in patients with acute myeloid leukemia or myelodysplastic syndrome. *Leukemia* 2006, 20, 212-217.
- Schniewind B., Heintz K., Kurdow R., Ammerpohl O., Trauzold A., Emme D., Dohrmann P., Kalthoff H. Combination Phenylbutyrate/gemcitabine therapy effectively inhibits in vitro and in vivo growth of NSCLC by intrinsic apoptotic pathways. *Journal of Carcinogenesis* 2006,1477-3163-5-25.
- Jin C., Park J.W., Choi J.W., Kang H., Jin G.B., Choi S.M., Park S.S., Ryu D., Jang L.C. Antiproliferative Effect of Phenylbutyrate in AsPC-1 Pancreatic Cancer Cell Line. *Korean J. Hepatobiliary Pancreat Surg.* 2006 Mar: 10(1):1-9. Korean
- Kouraklis G., Theocharis S. Histone deacetylase inhibitors: A novel target of anticancer therapy (Review). *Oncology Reports* 15: 489-494, 2006.
- Sampathkumar S-g, Jones MB, Meledeo MA, Hida K, Sheh T, Gomatputra P, Yarema KJ. Carbohydrate-based small molecules as anti-cancer drugs: Short chain fatty acid-hexosamine hybrids. *Glycobiology* 2005; 15 (11): 1249-1250.
- Lu Q, Wang D-S, Chenm C-S, Hu Y-D, Chen C-S. Structure-based optimization of phenylbutyrate-derived histone deacetylase inhibitors. *J Med Chem* 2005; 48 (17): 5530-5535.

- Gao, J; X-y; Xu F-l; Liu D-y; Lei D-p. Effects of sodium phenylbutyrate alone or in combination with fluorouracil or cisplatin on laryngeal carcinoma Hep-2 cell line. *Zhongguo Xinyao yu Linchuang Zazhi* 2005; 24(10):778-781.
- Gao, J; Ruan, X; Pan, X; Xu, F; Lei, D; Liu, D. The effect of sodium phenylbutyrate to agents used in induction chemotherapy on laryngeal carcinoma cells Hep-2 in vitro. *Lin Chuang Er Bi Yan Hou Ke Za Zhi* 2005; 19(15):680-682.
- Luebbert, M. Combined targeting of the epigenetic silence in leukemia: Cooperating activities of DNA methylation and histone deacetylation inhibitors. *Leukemia Research* 2005; 29(7):727-728.
- Wang, H-E; Wu, H-C; Kao, S-J; Tseng, F-W; Wang, Y-S; Yu, H-M; Chou, S-L; Yen, S-H; Chi, K-H. Modulation of 5-fluorouracil cytotoxicity through thymidylate synthase and NF-kappaB down-regulation and its application on the radiolabelled iododeoxyuridine therapy on human hepatoma cell. *Biochem Pharmacol* 2005; 69(4):617-626.
- Milkevitch, M; Shim, H; Pilatus, U; Pickup, S; Wehrle, JP; Samid, D; Poptani, H; Glickson, JD; Delikatny, EJ. Increases in NMR-visible lipid and glycerophosphocholine during phenylbutyrate-induced apoptosis in human prostate cancer cells. *Biochim Biophys Acta* 2005; 1734(1):1-12.
- Rudek MA, Zhao M, He P, Hartkle C, Gilbert J, Gore SD, Carducci MA, Baker SD. Pharmacokinetics of 5-Azacytidine Administered With Phenylbutyrate in Patients With Refractory Solid Tumors or Hematologic Malignancies. *Journal of Clinical Oncology* Vol 23 #17 June 10, 2005.
- Belinsky S.A., Silencing of genes by promoter hypermethylation: key event in rodent and human lung cancer. *Carcinogenesis* Vol. 26, No. 9 (1481-1487) 2005.
- Mortazavi, A.; Hoot, DR; Carlton, PS; Wang, S; Degroff, VL.; Lu, Q; Kulp, S; Chen, C-S; Clinton, SK. Inhibition of cell growth and induction of apoptosis in bladder cancer cell lines by a novel histone deacetylase inhibitor derived from phenylbutyrate. *Proceedings of the American Association for Cancer Research Annual meeting* 2005; 46(Supplement S): 422.
- Hao, C-l; Tang, K-j; Chen, S, Xing, H-y; Wang, M; Wang, J-x. 5-Aza-2'-deoxycytidine enhances differentiation and apoptosis induced by phenylbutyrate in Kasumi-1 cells. *Zhonghua Zhong Liu Za Zhi* 2005;27(3):148-151.
- Meng M., Jiang J.M., Liu H., In C.Y., Zhu J.R. Effects of sodium phenylbutyrate on differentiation and induction of the P²¹^{WAF1/CIP1} anti-oncogene in human liver carcinoma cells lines. *Chinese Journal of Digestive Diseases* 2005; 6; 189-192.
- Garcia-Manero, G; Issa, J-P. Histone deacetylase inhibitors: A review of their clinical status as antineoplastic agents. *Cancer Investigation* 2005;23(7):635-642.
- Monneret, C. Histone deacetylase inhibitors. *Eur J Med Chem* 2005;40(1):1-13.
- Phuphanich S, Baker SD, Grossman SA, Carson KA, Gilbert MR, Fisher JD, Carducci MA. Oral sodium phenylbutyrate in patients with recurrent malignant gliomas: A dose escalation and pharmacologic study. *Neuro-Oncology* Vol 7 pg 177-182, April 2005.
- Munshi A, Kurland JF, Nishikawa T, Tanaka T, Hobbs MI, Tucker SL, Ismail S, Stevens C, Meyn RE. Histone deacetylase inhibitors radiosensitize human melanoma cell by suppressing DNA repair activity. *Clin Cancer Res* 2005; 11 (13): 4912-4922.

- Siitonen, T., Koistinen, P., Savolainen, E. Increase in Ara-C cytotoxicity in the presence of valproate, a histone deacetylase inhibitor, is associated with the concurrent expression of cyclin D1 and p27^{Kip1} in acute myeloblastic leukemia cells. *Leukemia Research* 29 (2004) 1335-1342.
- Liu M., Brusilow W.S.A., Needleman R., Activity of the yeast Tat2p tryptophan permease is sensitive to the anti-tumor agent 4-phenylbutyrate. *Curr Genet* 46:256-268 (2004).
- Emionite L., Galmozzi F., Grattarola M., Boccardo F., Vergani L, Toma S., Histone Deacetylase Inhibitors Enhance Retinoid Response in Human Breast Cancer Cell Lines. *Anticancer Research* 24: 4019-4024 (2004).
- Zhang X., Wei L., Yang Y., Yu Q. Sodium 4-Phenylbutyrate Induces Apoptosis of Human Lung Carcinoma Cells Through Activating JNK Pathway. *Journal of Cellular Biochemistry* 93:819-829 (2004).
- Sachs M.D., Ramamurthy M., van der Poel H., Wickham T.J., Lamfers M., Gerritsen W., Chowdhury W., Li Y., Schoenberg M.P., Rodriguez R. Histone deacetylase inhibitors upregulate expression of the coxsackie adenovirus receptor (CAR) preferentially in bladder cancer cells. *Cancer Gene Therapy* (2004) 11, 477-486.
- Kim, Y.H., Park, J.W., Lee, J.Y., et al. Sodium Phenylbutyrate sensitizes TRAIL-mediated apoptosis by induction of transcription from the DR5 gene promoter through Ap1 sites in colon Cancer cells. *Carcinogenesis*. 2001;25:1813-20
- Nakagawa H., Intrathecal or intracavitary administration of sodium butyrate to treat neoplastic meningitis and malignant glioma *Proceedings of the AACR*, Vol. 45:5241, March 2004.
- X.-N. Li, S. Parikh, Q. Shu, H.-L. Jung, C.-W. Chow, L. Perlaky, H.-C. E. Leung, J. Su, S. Blaney, and C. C. Lau Phenylbutyrate and Phenylacetate Induce Differentiation and Inhibit Proliferation of Human Medulloblastoma Cells *Clin. Cancer Res.*, February 1, 2004; 10(3): 1150 - 1159.
- Burzynski, SR, Lewy, RI, Weaver, R, Janicki, T, Jurida, G, Khan, M, Larisma, CB, Paszkowiak, J, , Szymkowski, B. Long-Term Survival and Complete Response of a Patient With Recurrent Diffuse Intrinsic Brain Ctem Glioblastoma Multiforme. *Integrative Cancer Therapies*, 3(3); 2004 pp. 257-261.
- Appelskog I.B., Ammerpohl O., Svechnikova I.G., Lui W-O., Almqvist P.M., Ekström T.J. Histone deacetylase inhibitor 4-phenylbutyrate suppresses GAPDH mRNA expression in glioma cells. *International Journal of Oncology* 24:1419-1425, 2004.
- Linz, Uta, Complete response of a recurrent, multicentric malignant glioma in a patient treated with Phenylbutyrate. *Journal of Neuro-Oncology* 66:251, 2004.
- Asklune, T., Appelskog I.B., Ammerpohl O., Ekstron T.J., Almqvist, P.M. Histone deacetylase inhibitor 4-phenylbutyrate modulates glial fibrillary acidic protein and connexin 43 expression, and enhances gap-junction communication in human glioblastoma cells. *European Journal of Cancer*, 2004 Vol 40, No. 7.
- Gray S.G., Quian C.-N., Furge K., Guo X., The B.T., Microarray profiling of the effects of histone deacetylase inhibitors on gene expression in cancer cell lines. *Int. J of Onc.* 24:773-795, 2004.

- Chung, Yih-Lin, Wang, Ae-June, Yao, Lin-Fen, Antitumor Histone deacetylase inhibitors suppress cutaneous radiation syndrome: Implications for increasing therapeutic gain in cancer radiotherapy. *Molecular Cancer Therapeutics* 2004; 3(3):317-325
- Belinsky S.A., Klinge D.M., Stidley C.A., Issa J-P., Herman J.G., March T.H., Baylin S.B., Inhibition of DNA Methylation and Histone Deacetylation Prevents Murine Lung Cancer. *Cancer Research* (63) 7089-7093, November 1, 2003.
- Sun Li-Jun, Huang Qiang, Lan Qing, Du Zi-wei, Hu Geng-xi, Wang Ai-dong, Gene Expression Profiling of Phenylbutyrate Induced Differentiation of Glioma Cells by cDNA Array. *Chinese Journal of Cancer Research* 15(1):38-42, 2003.
- Thompson P., Balis F., Baruti M., Berg S.S., Adamson P., Klenk R., Aiken A., Packer R., Murry D.J., Jakacki R., Blaney S.M. Pharmacokinetics of phenylacetate administered as a 30-min infusion in children with refractory cancer. *Cancer Chemother Pharmacol* (2003) 52:417-423.
- Finzer P., Stöhr M., Seibert N., Rösl F., Phenylbutyrate inhibits growth of cervical carcinoma cells independent of HPV type and copy number *J. Cancer Res. Clin. Oncol.* (2003) 129:107-113.
- Witt O, Mönkemeyer S, Rönndahl G, Erdlenbruch B, Reinhardt D, Kanbach K, and Pekrun A. Induction of fetal hemoglobin expression by the histone deacetylase inhibitor apicidin. *Blood*, Mar 2003; 101: 2001 - 2007.
- Svechnikova I, Gray S.G, Kundrotiene J, Ponthan F, Kogner P, Ekström T. Apoptosis and tumor remission in liver tumor xenografts by 4-phenylbutyrate. *Int. Journal of Oncology* 22: 579-588, 2003.
- Gray S.G., Iglesias A.H., Teh B.T., Dangond F., Modulation of Splicing Events in Histone Deacetylase 3 by Various Extracellular and Signal Transduction Pathways *Gene Expression*, Vol. 11, pp. 13-21. Oct. 2002.
- Baker M J, Brem S, Daniels S, Sherman B, Phuphanich S. Complete response of a recurrent, multicentric malignant glioma in a patient treated with phenylbutyrate. *J Neuro-Oncology*; 59:239-242, 2002.
- Boivin A-J., Momparler L.F., Hurtubise A., Momparler R.L.. Antineoplastic action of 5-aza-2'-deoxycytidine and phenylbutyrate on human lung carcinoma cells. *Anti-Cancer Drugs*. Vol 13 (869-874) 2002.
- Dyer E.S., Paulsen M.T., Markwart S.M., Goh M., Livant D.L. and Ljungman M. Phenylbutyrate inhibits the invasive properties of prostate and breast cancer cell lines in the sea urchin embryo basement membrane invasion assay. *Int. J. Cancer*. 101, 496-499 (2002).
- Shi M-G, Huang Q., Dong J, Sun Z-F., Lan Q. Experimental Study of Combination Therapy against Human Glioma Xenograft by Differentiation-Inducing Agent and Cytotoxic Chemotherapeutic Drug. *Chinese Journal of Cancer*, 2002, 21(10): 190-1094.
- Du H-L., Qi Y., Shi Y-J., Bu D-F., Wu S-L. Apoptosis and Re-expression of p16 Gene in the Myeloma Cell Line U266 Induced by Synergy of Histone Deacetylase Inhibitor and Demethylating Agent. *Chinese Journal of Cancer*, 2002, 21(10):1057-1061.
- Kennedy C., Byth K., Clarke C.L., DeFazio A., Cell Proliferation in the Normal Mouse Mammary Gland and Inhibition by Phenylbutyrate. *Molecular Cancer Therapeutics* Vol. 1, 1025-1033, Oct. 2002.

- Sirchia S.M., Ren M., Pili R., Ironi E., Somenzi G., Ghidoni R., Toma S., Nicolo G., Sacchi N.. Endogenous Reactivation of the RAR β 2 Tumor Suppressor Gene Epigenetically Silenced in Breast Cancer *Cancer Research* 62, 2455-2461, May 1, 2002.
- Gore SD, Weng LJ, Zhai S, Figg WD, Donehower RC, Dover GJ, Grever M, Griffin CA, Grochow LB, Zabalena Y, Hawkins AL, Burks K and Miller CB. Impact of prolonged infusions of the Putative Differentiating Agent Sodium Phenylbutyrate on Myelodysplastic Syndromes and Acute Myeloid Leukemia. *Clinical Cancer Research* Vol. 8, 963-970, April 2002
- Clarke K.O., Ludeman S.M., Springer J.B., Colvin O.M., Lea M.A., Harrison L.E. Exposure to a deuterated analogue of Phenylbutyrate retards S-phase progression in HT-29 colon cancer cells. *Journal of Pharmaceutical Sciences*, Vol. 91, No. 4, April 2002.
- Chang T-H, Szabo E., Enhanced Growth Inhibition by Combination Differentiation Therapy with Ligands of Peroxisome Proliferator-activated Receptor- γ and Inhibitors of Histone Deacetylase in Adenocarcinoma of the Lung. *Clinical Cancer Research* Vol. 8, 1206-1212, April 2002.
- Shao N, Huang Q, Sun J, Dong J, Wang A, Wang F, Zhu W, A putative pathway in differentiation of SHG-44 glioma cells induced by sodium phenylbutyrate. The Human Genome Organization, *HGM2002, Poster 451*.
- Zhu Q, Zhang J-W, Zhu H-Q, Shen Y-L, Flexor M, Jia P-M, Yu Y, Cai X, Waxman S, Lanotte M, Chen S-J, Chen Z, and Tong J-H. Synergic effects of arsenic trioxide and cAMP during acute promyelocytic leukemia cell maturation subtends a novel signaling cross-talk. *Blood*, Feb 2002; 99: 1014 - 1022.
- D-C Zhou, Kim SH, Ding W, Schultz C, Warrell R P, Jr, and Gallagher R E. Frequent mutations in the ligand-binding domain of PML-RAR after multiple relapses of acute promyelocytic leukemia: analysis for functional relationship to response to all-trans retinoic acid and histone deacetylase inhibitors in vitro and in vivo. *Blood*, Feb 2002; 99: 1356 - 1363.
- Feinman R., Clarke, K.O., Harrison LE. Phenylbutyrate-Induced Apoptosis is Associated with Inactivation of Nf- κ B in HT-29 colon cancer cells. *Cancer Chemother Pharmacol* (2002) 49:27-34.
- Goh M., Chen F., Paulsen M.T., Yeager A.M., Dyer E.S., Ljungman M. Phenylbutyrate Attenuates the Expression of Bcl-X_L, DNA-PK, Caveolin-1, and VEGF in Prostate Cancer Cells¹. *Neoplasia* Vol. 3, No. 4, 2001, pp. 331-338.
- Cosentini E, Haberl I, Pertschy P, Teleky B, Mallinger R, Baumgartner G, Wenzl E and Hamilton G. The differentiation inducers phenylacetate and phenylbutyrate modulate camptothecin sensitivity in colon carcinoma cells in vitro by intracellular acidification. *International Journal of Oncology* 19: 1069-1074, 2001
- Calvaruso G, Carabillo M, Guiliano M, Lauricella M, D'Anneo A, Vento R, Tesoriere G. Sodium phenylbutyrate induces apoptosis in human retinoblastoma Y79 cells: The effect of combined treatment with the topoisomerase I-inhibitor topotecan. *Int. Journal of Oncology* 18: 1233-1237, 2001.
- Gilbert J, Baker SD, Bowling MK, Grochow L, Figg WD, Zabalena Y, Donehower RC, Carducci MA: A Phase I Dose Escalation and Bioavailability Study of Oral Sodium Phenylbutyrate in Patients with Refractory Solid Tumor Malignancies. *Clin Cancer Res.* 7: 2292-2300, 2001.

- Gore SD, Weng LJ, Zhai S, Figg WD, Donehower RC, Dover GJ, Grever M, Griffin CA, Grochow LB, Rowinsky EK, Zabalena Y, Hawkins AL, Burks K, Miller CB: Impact of the Putative Differentiating Agent Sodium Phenylbutyrate on Myelodysplastic Syndromes and Acute Myeloid Leukemia. *Clin Cancer Res.* 7: 2330-9, 2001
- Carducci MA, Gilbert J, Bowling MK, Noe D, Eisenberger MA, Sinibaldi V, Zabelina Y, Chen TL, Grochow LB, Donehower RC. A Phase I clinical and pharmacological evaluation of sodium phenylbutyrate on a 120-h infusion schedule. *Clin Cancer Res.* 7(10):3047-55, Oct 2001
- Pili R, Kruszewski MP, Hager BW, Lantz J, Carducci MA. Combination of phenylbutyrate and 13-cis retinoic acid inhibits prostate tumor growth and angiogenesis. *Cancer Research* 61, 1477-85, Feb. 15, 2001.
- Berg S., Serabe B., Aleksic A., Bomgaars L., McGuffey L., Dauser R., Durfee J., Nuchtern J., Blaney S. Pharmacokinetics and cerebrospinal fluid penetration of phenylacetate and phenylbutyrate in the nonhuman primate. *Cancer Chemother Pharmacol.* 47: 385-390. February 2001.

BLOOD

- Almeida, A., Murakami, Y., Baker, A., Maeda, Y., Roberts, I., Kinoshita, T., Layton, DM, Karadimitria, A. Targeted Therapy for Inherited GPI Deficiency. *The New England Journal of Medicine* 2007; 356:1641-7
- Imedia, A., Murakami, Y., Baker, A., Maeda, Y., Roberts, I., Kinoshita T., Layton, D., Karadimitria, A. *The New England Journal of Medicine* 356;16, April 19, 2007

SICKLE CELL ANEMIA, THALASSEMIA & COOLEY'S ANEMIA

- Perrine SP. Fetal globin stimulant therapies in the beta-hemoglobinopathies: principles and current potential. *Pediatr Ann* 2008; 37 (5): 339-346.
- Hines P, Dover GJ, Resar LMS. Pulsed-dosing with oral sodium Phenylbutyrate increases hemoglobin F in a patient with sickle cell anemia. *Pediatr Blood Cancer* 2008; 50 (2): 357-359.
- Xing H, Zhang S, Koeffler HP, Fung, MC. Cucurbitacin D Upregulates fetal hemoglobin expression in K562 cells and human erythroid progenitors. *Blood* 2007; 110 (11, Part 2): 26B-27B
- Odièvre M, Brun M, Krishnamoorthy R, lapoumériou and Elion J. Sodium Phenylbutyrate Down regulates Endothelin-1 Expression in Cultured Human Endothelial Cells: Relevance to Sickle-Cell Disease. *American Journal of Hematology*, 82:357-362, 2007.
- Perrine S, Trudel M, Castaneda SA, Mankidy R, Boosalis MS, Mpollo M-SEM, White GL, Bohacek R, Faller DV. A new generation of gamma globin gene inducers act on novel molecular and cellular targets. *Blood* 2006; 108 (11, Part 1): 453A.
- Thompson AA. Advances in the management of sickle cell disease. *Pediatr Blood Cancer* 2006; 45 (5): 533-539.

Singer ST, Kuypers FA, Olivieri NF, Weatherall DJ, Mignacca R, Coates TD, Davies S, Sweeters N, Vichinsky EP. Fetal haemoglobin augmentation in E/ β^0 thalassaemia: clinical and haematological outcome. *British Journal of Haematology*, 2005, 131, 378-388

Witt, Olaf, Mönkemeyer, Sven, Rönndahl, Gabi, Erdlenbruch, Bernhard, Reinhardt, Dirk, Kanbach, Katrin and Pekrun, Arnulf. Induction of fetal hemoglobin expression by the histone deacetylase inhibitor apicidin. *Blood*, March 1, 2003, Volume 101, Number 5

Pace BS, White GL, Dover GJ, Boosalis MS, Faller DV, and Perrine SP. Short-chain fatty acid derivatives induce fetal globin expression and erythropoiesis in vivo. *Blood*, 15 December 2002, Vol. 100, No. 13, pp. 4640-4648

UREA CYCLE DISORDER/ ORNITHINE TRANSCARBAMYLASE DEFICIENCY

Lee B, Rhead W, Diaz GA, et al. Phase 2 comparison of a novel ammonia scavenging agent with sodium phenylbutyrate in patients with urea cycle disorders: safety, pharmacokinetics and ammonia control. *Mol Genet Metab* 2010 Jul; 100(3):221-08

Tuchman M, Lee B, Lichter-Konecki U, Summar ML, Yudkoff M, Cederbaum SD, Kerr DS, Diaz GA, Seashore MR, Lee HS, McCarter RJ, Batshaw ML. Cross-sectional multicenter study of patients with urea cycle disorders in the United States. Urea Cycle Disorders Consortium of the Rare Diseases Clinical Work Network, *Mol Genet Metab* 2008; 94 (4): 397-402.

Leonard JV, Ward P, Martin P, Morris AAM. Hypothesis: proposals for the management of a neonate at risk of hyperammonaemia due to a urea cycle disorder. *Eur J Pediatr* 2008; 167 (3): 305-309.

Lee B, Garovoy MR, Gargosky SE, Berry SA. Preliminary data on adult patients with urea cycle disorder (UCD) in an open-label, switch-over, dose-escalation study comparing a new ammonia scavenger glyceryl tri (4-phenylbutyrate) (HPN-100), to buphenyl (sodium phenylbutyrate – PBA). *Journal of Inherited Metabolic Disease* 2008; 31 (Suppl. 1): 91.

Dobbelaere DD. Sodium phenylbutyrate (Ammonaps) in the treatment of patients with urea cycle disorders – European post-approval data. *Journal of Inherited Metabolic Disease* 2008; 31 (Suppl. 1): 92.

Maillot F, Crenn P. Urea cycle disorders in adult patients. *Revue Neurologique (Paris)* 2007; 163 (10): 897-903.

Bhattacharya K, Briddon A, Lee PJ. A review of biochemical outcomes of adults with OTC deficiency. *Journal of Inherited Metabolic Disease* 2007; 30 (Suppl. 1): 82.

Wright GA, Davies NA, Ytrebo LM, Stadlbaure V, Fuskevåg O-m, Zwigmann C, Hodges S, Jalan R. L-ornithine Phenylacetate reduces arterial ammonia, improves brain osmolytes and reduces brainwater in a bile duct ligated rat model of cirrhosis. *Hepatology* 2007; 46 (4, Suppl S): 604A-605A.

Kern RM, Yang Z, Kim PS, Grody WW, Iyer RK, Cederbaum SD. Arginase induction by sodium phenylbutyrate in mouse tissues and human cell lines. *Molecular Genetics and Metabolism* 90 (2007) 37-41.

- Eather G, Coman D, Lander C, J. McGill Carbamyl phosphate synthase deficiency: Diagnosed during pregnancy in a 41-year-old. *Case Reports/Journal of Clinical Neuroscience* 13 2006: 702-706.
- Singh RH, Acosta PB, Kennedy MP, Longo N, Elsas LJ. Potassium retention in patients treated for argininosuccinate lyase deficiency. *Journal of Inherited Metabolic Disease* 2006; 29 (1): 48.
- Wuebbels BH. Outcomes among male OTC patients treated with Ammonaps. *Journal of Inherited Metabolic Disease* 2006: 29 (Suppl 1): 129.
- Saha AS, Langridge P, Playfor SD. The pattern of intravenous drug administration during the transfer of critically ill children by a specialist transport team. *Paediatr Anaesth* 2006; 16 (10):1063-1067
- C Vilatoba M, Eckstein C, Bilbao G, Smyth CA, Jenkins S, Thompson JS, Eckhoff De, Contreras JL. Sodium 4-phenylbutyrate protects against liver ischemia reperfusion injury by inhibition of endoplasmic reticulum stress mediated apoptosis. *Surgery* 2005; 138 (2): 342-351.
- Bachmann C. Long-term outcome of urea cycle disorders. *Acta Gastroenterol Belg* 2005; 68 (4): 466-468.
- Horslen S.P., McCowan T.C., Goertzen T.C., Warkentin P.I., Cai H.B., Strom S.C., Fox I.J. Isolated Hepatocyte Transplantation in an Infant with Severe Urea Cycle Disorder. *Pediatrics* Vol. 111 No. 6 June 2003.
- Legras A., Labarthe F., Maillot F., Garrigue M-A., Kouatchet A., Ogier de Baulny H., Late diagnosis of ornithine transcarbamylase defect in three related female patients: Polymorphic presentations. *Crit. Care Med.* 2002 Vol. 30, No. 1.
- Burlina A.B., Ogier H., Korall H., Trefz F.K. Long-term treatment with Sodium Phenylbutyrate in ornithine transcarbamylase-deficient patients. *Molecular Genetics and Metabolism* 72, 3512-355 March 2001
- Batchaw ML., MacArthur RB, Tuchman M., Alternative pathway therapy for urea cycle disorders: twenty years later. *J Pediatr.*, 138 (1 Suppl):S46-54; discussion S-54-5. Jan 2001.
- Summar M., Current strategies for the management of neonatal urea cycle disorders. *J. of Pediatrics*, (138: S30-S39) Jan. 2001.

LEUCINE METABOLISM

- Marini JC, Lanpher B, Scaglia F, Carter S, Garlick PJ, Jahoor F, Lee B. Phenylbutyrate reduces plasma leucine concentrations without affecting the flux of leucine. *FASEB Journal* 2007; 21 (5): A335.

LIPOPROTEIN RECEPTOR

- Tveten K, Holla OL, Ranheim T, Berge KE, Leren TP, Kulseth MA. Rescue of the low density lipoprotein receptor 2A mutant G544V by 4-phenylbutyrate. *Molecular chaperones and the heat shock response* 2006; 187.
- Tveten K, Holla OL, Ranheim T, Berge KE, Leren TP, Kulseth MA. 4-Phenylbutyrate restores the functionality of a misfolded mutant low-density lipoprotein receptor. *FEBS J* 2007; 274 (8): 1881-1893.

CYSTIC FIBROSIS

- Suaud L, Mikker K, Panichelli AE, et al. 4-Phenylbutyrate stimulates Hsp 70 expression through the Eip2 component of elongator and STAT-3 in cystic fibrosis epithelial cells. *Journal Biol Chem* 2011, Dec 30; 286(52):45083-92
- Roque, T., Boncoeur, E., Saint-Criq, V., Bonvin, E., Clement, A., Tabary, O., Jacquot, J. Pro-inflammatory effect of sodium 4-phenylbutyrate in $\Delta F508$ -CFTR lung epithelial cells: Involvement of ERK1/2 and JNK signaling. *JPET*, June 23, 2008, DOI:10.1124/jpet.107.135186
- Singh OV, Pollard HB, Zeitlin, PL. Chemical Rescue of $\Delta F508$ -CFTR Mimics Genetic Repair in Cystic Fibrosis Bronchial Epithelial Cells. *Molecular & Cellular Proteomics* 7.5, February, 2008.
- Virginie Prulièr-Escabasse, Carole Planés, Estelle Escudier, Pascale Fanen, André Coste, Christine Clerici. Modulation of Epithelial Sodium Channel Trafficking and Function by Sodium 4-Phenylbutyrate in Human Nasal Epithelial Cells. *JBC Papers in Press*, September 21, 2007, DOI 10.1074/jbc.M702384200.
- Claudiu Iordache, Marek Duszyk. Sodium 4-Phenylbutyrate upregulates EnaC and sodium absorption in T84 cells. *Experimental Cell Research* 313 (2007) 305-311
- Vij, Neeraj, Fang, Shengyun and Zeitlin, Pamela L. Selective Inhibition of Endoplasmic Reticulum-associated Deradation Rescues $\Delta F508$ -Cystic Fibrosis Transmembrane Regulator and Suppresses Interleukin-8 Levels. *The Journal of Biological Chemistry*, Vol. 281, No. 25 pp. 17369-17378, June 23, 2006.
- Singh O.V., Vij N., Mogayzel Jr. P.J., Jozwik C., Pollard H.B., Zeitlin P. L., Pharmacoproteomics of 4-Phenylbutyrate-treated IB3-1 Cystic Fibrosis Bronchial Epithelial Cells. *Journal of Proteome Research* 2006, 5, 562-571.
- Kerem E. Pharmacological Induction of CFTR Function in Patients with Cystic Fibrosis: Mutation-Specific Therapy. *Pediatric Pulmonology* 40:183-196 (2005).
- Céline René, Magali Taulan, Florence Iral, Julien Doudement, Aurore L'Honoré, Catherine Gerbon, Jacques Demaille, Mireille Claustres and Marie-Catherine Romey, Binding of serum response factor to cystic fibrosis transmembrane conductance regulator CArG-like elements, as a new potential CFTR transcriptional regulation pathway. *Nucleic Acids Research*, Vol. 33, No. 16, 5271-5290, 2005.
- Suaud L, Rubenstein RC. Activation of STAT-3 in CF epithelial cell by Sodium 4-Phenylbutyrate. *FASEB Journal* 2005; 19 (4, Suppl. S, Part 1): A658.
- Wright J.M., Zeitlin P.L., Cebotaru L., Guggino S.E., Guggino W.B., Gene expression profile analysis of 4-phenylbutyrate treatment of IB3-1 bronchial epithelial cell line demonstrates a major influence on heat-shock proteins. *Physiol Genomics* 16:204-211, 2004.
- Lim M., McKenzie K., Floyd A.D., Kwon E., Zeitlin P.L. Modulation of $\Delta F508$ Cystic Fibrosis Transmembrane Regulator Trafficking and Function with 4-Phenylbutyrate and Flavonoids. *Am. J. Respir. Cell Mol. Biol.* Vol. 31, pp. 351-357, 2004.

Wang W-J., Mulugeta S., Russo S.J., Beers M.F., Deletion of exon 4 from human surfactant protein C results in aggresome formation and generation of a dominant negative, *Journal of Cell Science* 116, 683-692, 2003.

Roomans G.M. Pharmacological Approaches to Correcting the Ion Transport Defect in Cystic Fibrosis. *Am J. Respir Med.* 2003; 2(5):413-431

Poschet J.F., Skidmore J., Bouchjer J.C., Firoved A.M., Van Dyke R.W., Deretic V. Hyperacidification of Cellubrevin Endocytic Compartments and Defective Endosomal Recycling in Cystic Fibrosis Respiratory Epithelial Cells, *The Journal of Biological Chemistry* Vol. 277, No. 16, April 2002

Zeitlin, P., Diener-West, M., Rubenstein, R., Boyle, M., Lee, C., Brass-Ernst, L. Evidence of CFTR Function in Cystic Fibrosis after Systemic Administration of 4-Phenylbutyrate. *Molecular Therapy*, Vol. 6, No. 1, July 2002

Farinha Carols M., Nogueira, Paulo, Mendes, Filipa, Penque, Deborah and Amaral, Margarida D. The human Dnaj homologue (Hdj)-1/heat-shock protein (Hsp) 40 co-chaperone is required for the *in vivo* stabilization of the cystic fibrosis transmembrane conductance regulator by Hsp70. *Biochem. J.* (2002) 366, 797-806.

FAMILIAL HYPERCHOLESTEROLEMIA

Tveten, K., Holla, Ø.L., Ranheim, T., Berge, K.E., Leren, T.P., Kulseth, M.A. 4-Phenylbutyrate restores the functionality of a misfolded mutant low-density lipoprotein receptor. *FEBS Journal*, 274 (2007), 1881-1893.

PHENYLKETONURIA

Nascimento, C., Leandro, J., de Almeida, I.T., Leandro, P., Modulation of the Activity of Newly Synthesized Human Phenylalanine Hydroxylase Mutant Proteins by Low-Molecular-Weight Compounds. *Protein Journal* (2008) 27:392-400.

LUNG/ABCA3 DEFECTS

Cheong, N., Madesh, M., Gonzales, L.W., Zhao, M., Yu, K. Ballard, P.L., Shuman, H. Functional and Trafficking Defects in ABCA3 mutants associated with Respiratory Distress Syndrome. *The Journal of Biological Chemistry*, January 16, 2006

ADRENOLEUCODYSTROPHY (ALD)

Gondcaille C., Depreter M. Fourcade S., Lecca M.R., Leclercq S., Martin P.G.P., Pineau T., Cadepond F., ElEtr M., Bertrand N., Beley A., Duclos S., De Craemer D., Roels F., Savary S., Bugaut M., Phenylbutyrate up-regulates the adrenoleukodystrophy-related gene as a nonclassical peroxisome proliferator. *The Journal of Cell Biology*, Vol. 169, No. 1, 93-104, April 2005.

Wei H., Kemp S, McGuinness MC, Moser AB, Smith KD. Pharmacological induction of Peroxisomes in Peroxisome Biogenesis Disorders. *Ann Neurol*, 47:286-296. 2000.

KIDNEY

Choi S.W., Ryu O.H., Choi S.J., Song I.S., Bleyer A.J., Hart T.C. Mutant Tamm-Horsfall Glycoprotein Accumulation in Endoplasmic Reticulum Induces Apoptosis Reversed by Colchicine and Sodium 4-Phenylbutyrate. *J. Am. Soc. Nephrol.* 16:3006-3014, 2005.

Liu Xiao Li, Nephtrin cellular trafficking and intracellular interactions, Division of Matrix Biology Dept. of Medical Biochemistry and Biophysics, Karolinska Institutet, Stockholm, Sweden, May 2004.

Liu X.L., Cotta Done S., Yan K., Kilpelainen P., Pikkarainen T., Tryggvason K. Defective Trafficking of Nephtrin Missense Mutants Rescued by a Chemical Chaperone. *J. Am. Soc. Nephrol.* 15:1731-1739, 2004.

BLADDER DYSFUNCTION

Sawada N, Yao J, Hiramatsu N, Hayakawa K, Zakoji H, Kobayashi H, Mochizuki T, Araki Im Takeda M, Kitamura M. A novel target for boo-induced bladder dysfunction. *European Urology Supplements* 2008; 7 (3): 265.

AMYOTROPHIC LATERAL SCLEROSIS (ALS)

Del Signore, S.J., Amante, D.J., Kim, J., Stack, E.C., Goodrich, S., Cormier, K., Smith, K., Cudkowicz, M.E., Ferrante, R.J. Combined riluzole and sodium phenylbutyrate therapy in transgenic amyotrophic lateral sclerosis mice. *Amyotrophic Lateral Sclerosis*, Volume 10,, Issue 2, April 2009.

Cudkowicz, M.E., Aneres, P.L., et al. Macdonald, S.A., et al. Phase 2 study of sodium Phenylbutyrate in ALS. *Amyotroph Lateral Scler.* 2009; 10(2):99-106

Scott, S, Kranz, JE, Cole, J, Lincecum, JM, Thompson, K, Kelly, N, Bostrom, A, Theodoss, J, Al-Nakhala, BM, Vieira FG, Ramasubbu, J, Heywood, JA. Design, power and interpretation of studies in the standard murine model of ALS. *Amyotroph Lateral Scler* 2008; 9 (1): 4-15.

Cudkowicz, ME, Andres, PL, Choudry, R, MacDonald, SA, Zhang, H, Schoenfeld, D, Ferrante, RJ. Safety and dose escalating study of oral sodium phenylbutyrate in subjects with ALS *Neurology* 2007; 68 (12, Suppl. 1): A90.

Petri S., Kiaei M., Kipiani K., Chen J., Calingasan N.Y., Crow J.P., Beal M.F., Additive neuroprotective effects of a histone deacetylase inhibitor and a catalytic antioxidant in a transgenic mouse model of amyotrophic lateral sclerosis. *Neurobiology of Disease* 22, 40-49 (2006).

Carri, MT, Grignaschi, G, Bendotti, C. Targets in ALS: designing multidrug therapies. *Trends Pharmacol Sci* 2006; 27 (5): 267-273.

Traynor, BJ, Bruijn, L, Conwit, R, Beal, F, O'Neill, G, Fagan, SC, Cudkowicz, ME. *Neurology* 2006; 67 (1): 20-27.

Bruijn LI, Cudkowicz, M. Therapeutic targets for amyotrophic lateral sclerosis: Current treatments and prospects for more effective therapies. *Expert Rev Neurother* 2006; 6 (3): 417-428.

DiBernardo, A.B., Cudkowicz, M.E. Translating preclinical insights into effective human trials in ALS. *Biochimica et Biophysica Acta* 1762 (2006) 1139-1149.

Ryu H, Smith K, Camelo S.I., Carreras I., Lee J., Iglesias A.H., Dangond F., Cormier K.A., Cudkowicz M.E., Brown Jr. R.H., Ferrante R.J. Sodium phenylbutyrate prolongs survival and regulates expression of anti-apoptotic genes in transgenic amyotrophic lateral sclerosis mice. *Journal of Neurochemistry*, 2005, 93, 1087-1098.

CEREBRAL ISCHEMIC INJURY

Qi X., Hosoi T., Okuma Y., Kaneko M., Nomura Y., Sodium 4-Phenylbutyrate Protects against Cerebral Ischemic Injury, *Molecular Pharmacology* 66:899-908, 2004.

EPILEPSY

Bogdanovic, M.D., Kidd, D., Briddon, A., Duncan, J.S., Land, M.M. Late onset heterozygous ornithine transcarbamylase deficiency mimicking complex partial status epilepticus. *J. Neurol. Neurosurg Psychiatry*, 2000, 69:813-815

CARDIAC INJURY

Okajima, M., Takamura, M., Usui, S., Kaneko, S. Sodium 4-phenylbutyrate protects against myocardial ischemia-reperfusion injury by reducing unfolded protein response-mediated apoptosis in mice. *30th International Symposium on Intensive Care and Emergency Medicine, Brussels, Belgium* March 9-12, 2010

Daosukho, C., Chen, Y., Noel, T., Sompol, P., Nithipongvanitch, R., Velez, J.M., Oberley, T.D., St. Clair, D.K. Phenylbutyrate, a histone deacetylase inhibitor, protects against Adriamycin-induced cardiac injury. *Free Radic Biol Med.* 42(12):1818-1825 June 15, 2007.

HUNTINGTON'S DISEASE

Ebbel, E.N., Leymarie, N., Schiavo, S., et al. Identification of Phenylbutyrate-generated metabolites in Huntington disease patients using parallel liquid chromatography/electrochemical arrangement/mass spectrometry and off-line tandem mass spectrometry. *Analytical Biochem.* 2010; 399(2):153-61

- Hogarth, P, Lovrecic, L, Kraine, D. Sodium Phenylbutyrate in Huntington 's disease: A Dose-Finding Study. *Movement Disorders*, 2007, Vol. 22, No. 13.
- Sadri-Vakili, Ghazaleh and Cha, Jang-Ho J. Mechanisms of Disease: histone modifications in Huntington's disease. *Nature Clinical Practice Neurology*, June 2006, Vol. 2, No. 61.
- Borovecki F., Lovrecic L. Zhou J., Jeong H., Then F., Rosas H.D., Hersch S.M., Hogarth P., Bouzou B., Jensen R.V., Kraine D. Genome-wide expression profiling of human blood reveals biomarkers for Huntington's disease. *PNAS* August 2, 2005, Vol. 102 No. 31 (11023-11028).
- Gardian G., Browne S.E., Choi D-K., Klivenyi P., Gregorio J., Kubilus J.K., Ryus H., Langley B., Ratan R.R., Ferrante R.J., Beal M.F. Neuroprotective Effects of Phenylbutyrate in the N171-82Q Transgenic Mouse Model of Huntington's Disease. *The Journal of Biological Chemistry* Vol. 280, No.1, Jan. 7, 2005 (556-563).
- Tolchin, E. Biomarkers of Huntington's Disease Found in Blood 7/26/05. *Bioscience Technology*, <http://www.biomedicalproducts.com>
- Ferrante R.J., Kubilus J.K., Lee J., Ryu H, Beesen A., Zucker B., Smith K., Kowall N. W., Ratan R. R., Luthi-Carter R., Hersch S.M., Histone Deacetylase Inhibition by Sodium Butyrate Chemotherapy Ameliorates the Neurodegenerative Phenotype in Huntington's Disease Mice. *J Neurosci* 2003; 23 (28): 9418-9427.

MULTIPLE SCLEROSIS (MS)

- Dasgupta S, Zhou Y, Jana M, Banik NL, Pahan K. Sodium Phenylacetate Inhibits Adoptive Transfer of Experimental Allergic Encephalomyelitis in SJL/J Mice at Multiple Steps. *J Immunology* 2003, 170:3874-3882.

PARKINSON'S DISEASE

- Roy, A., Ghosh A., Jana A., Liu X., Brahmachari S., Gendelman HE., Pahan K. Sodium Phenylbutyrate controls neuroinflammatory and antioxidant activities and protects dopaminergic neurons in mouse models of Parkinson's disease. *PLoS*, 2012;7(6):e38113.doi:10.1371/journal.pone.0038113.
- Zhou, W., Bercury, K., Cumiskey, J., Luong, N., Lebin, J., Freed, C.R. Phenylbutyrate Upregulates DJ-1 and Protects Neurons in Cell Culture and in Animal Models of Parkinson's Disease. *JBC Papers*. March 3, 2011.
- Kubota, Kyoko, Niinuma, Yoshifumi, Kaneko, Masayuki, Okuma, Yasunobu, Sugai, Mami, Omura, Tomohiro, Uesugi, Mai, Uehara, Takashi, Hosoi, Toru, Nomura, Yasuyuki. Suppressive effects of 4-Phenylbutyrate on the aggregation of Pael receptors and endoplasmic reticulum stress. *Journal of Neurochemistry*, 2006, 97, 1259-1268
- Gardian, G., Yang, L., Cleren, C., Calingasan, N.Y., Klivenyi, P., and Beal, N.F. Neuroprotective Effects of Phenylbutyrate Against MPTP Neurotoxicity. *NeuroMolecule Medicine*, 2005 Volume 5

SPINAL MUSCULAR ATROPHY

- Hauke, J, Riessland, M, Lunke, S, Eyoupoglu, IY, Bloumche, I, El-Osta, A, Wirth, B, Hahnen E. Survival motor neuron gene 2 silencing by DNA methylation correlates with spinal muscular atrophy disease severity and can be bypassed by histone deacetylase inhibition. *Hum Mol Genet* 2009 ; 18 (2) : 304-317.
- Bosboom, WM, Vrancken, AF, van den Berg, LH, Wokke, JH, Iannaccone, ST. Drug treatment for spinal muscular atrophy types II and III. *Cochrane Database Syst Rev* 2009 ; 1 : CD006282.
- Dayangaoc-Erden, D, TopaloAlu, H, Erdem-Yurter, H. A preliminary report on spinal muscular atrophy lymphoblastoid cells lines : are they an appropriate tool for drug screening *Adv Ther* 2008 ; 25 (3) : 274-279.
- Dayangaç-Erden, Topaloğlu, Haluk, Erdem-Yurter, Hayat, A Preliminary Report on Spinal Muscular Atrophy Lymphoblastoid Cell Lines : Are They an Appropriate Tool for Drug Screening ? *Adv Ther* 2008 ;25(3) :274-279.
- Lunn, M.R., Wang, C.H. Spinal muscular atrophy. *Lancet* 2008 ; 371 (9630) :2120-33
- Mercuri, E., Bertini E., Messina S., Solari, A. etal. Randomized, double-blind, placebo-controlled trial of phenylbutyrate in spinal muscular atrophy. *Neurology* 2007;68:1-1
- Darras, BT, Kang, PB. Clinical trials in spinal muscular atrophy. *Curr Opin Pediatr* 2007; 19 (6): 675-679.
- Swoboda, KJ. Prospective evaluation of pre-symptomatic infants with spinal muscular atrophy: Implications for early therapeutic intervention. *Annals of Neurology* 2007; 62 (Suppl. 11): S2.
- Davies S.L., Moral M.A. Spinal muscular atrophies – distinctions and therapeutic progress. *Drugs of the*
- Wirth, B, Brichta, L, Schrank, B, Lochmouller, H, Blick, S, Baasner, A, Heller, R. Mildly affected patients with spinal muscular atrophy are partially protected by an increased SMN2 copy number. *Hum Genet* 2006; 119 (4): 422-428
- Wirth, B, Brichta, L, Hahnen, E. Spinal muscular atrophy: from gene to therapy. *Semin Pediatr Neurol* 2006; 13 (2): 121-131.
- Wirth, B, Brichta, L, Hahnen, E. Spinal muscular atrophy and therapeutic prospects. *Prog Mol Subcell Biol* 2006; 44: 109-132.
- Ganta M, Grzeschik SM, Heavlin WD, Wang CH. Phenylbutyrate modulates multiple neuronal survival gene expression in SMA cells. *Annals of Neurology* 2006; 60 (Suppl. 10): S140.
- Brahe C., Vitali T., Tiziano F.D., Amgelozzi C., Pinto A.M., Borgo F., Moscato U., Bertini E., Mercuri E., Neri G. Phenylbutyrate increases SMN gene expression in spinal muscular atrophy patients. *European J. of Human Genetics* (2005) 13, 256-259.
- Schwartz, M. The molecular-genetic background of spinal muscular atrophy: Diagnosis, prognosis and future treatments. *Ugeskr Laeg* 2005: 167 (7): 745-748.

Mercuri E., Bertini E., Messina S., Pelliccioni M., D'Amico A., Colitto F., Mirabella M., Tiziano F.D., Vitali T., Angelozzi C., Kinali M., Main M., Brahe C. Pilot trial of phenylbutyrate in spinal muscular atrophy. *Neuromuscular Disorders* Vol 14, Issue 2,(130-135) Feb 2004.

Andreassi C., Angelozzi C., Tiziano F.D., Vitali T., De Vincenzi E., Boninsegna A., Villanova M., Bertini E., Pini A., Nmeri G., Brahe C. Phenylbutyrate increases SMN expression in vitro: relevance for treatment of spinal muscular atrophy. *European Journal of Human Genetics* (2004) 12, 59-65

ALZHEIMER'S DISEASE

Ricobaraza A., Cuadrado-Tejedor M., Marco S., Perez-Otano I., Garcia-Osta A. Phenylbutyrate rescues dendritic spine loss associated with memory deficits in a mouse model of Alzheimer disease. *Hippocampus*.2012 May; 22(5):1040-50.doi: 10.1002/hipo.20883.Epub 2010 Nov 10.

Ricobaraza, A., Cuadrado-Tejedor, M., Pérez-Mediavilla, A., Frechilla, D., Del Río, J., García-Osta, A. Phenylbutyrate Ameliorates Cognitive Deficit and Reduces Tau Pathology in an Alzheimer's Disease Mouse Model. *Neuropsychopharmacology* January 14, 2009;doi:10.1038/nnp.2008.229

AGING

Wagner, G. Towards a life prolonging pill? Small molecules with anti-ageing properties. *Current Drug Targets* 2006; 7 (11): 1531-1537

Burzynski, S.R. Aging:gene silencing or gene activation? *Med Hypotheses* 2005; 64 (1): 201-208

Kang H-L., Benzer S., Min K-T. Life extension in *Drosophila* by feeding a drug. *PNAS* Jan 22, 2002, Vol. 99 No. 2, (838-843).

EYE

Zode GS, Bugge KE, Mohan K, et al. Topical ocular sodium 4-phenylbutyrate rescues glaucoma in a myocilin mouse model of primary open-angle glaucoma. *Invest Ophthalmol Vis Sci* 2012 Mar; 53(3):1557-65

Christopher Kai-shun Leung, Chinese University of Hong Kong, Sodium 4-Phenylbutyrate has the ability to prevent steroid-induced glaucoma. *Press Release* August 17, 2010

Gong Bo, Zhang Li-Yun, Lam Dennis Shun-Chiu, Pang Chi-Pui, Yam Gary Hin-Fai. Sodium 4-phenylbutyrate ameliorates the effects of cataract-causing mutant gammaD-crystallin in cultured cells. *Molecular Vision* 2010 June 4, 2010

Yung-Yue Jeng, Nien-Ting Lin, Pen-Heng Chang, Yuan-Ping Huang, Victor Fei Pang, Chen-Hsuan Liu, Chung-Tien Lin. Retinal ischemic injury rescued by sodium 4-phenylbutyrate in a rat model. *Experimental Eye Research* (84 (2007) 486-492.

Gary Hin-Fai Yam, Katarina Gaplovska-Kysela, Christian Zuber, Jürgen Roth. Sodium 4-Phenylbutyrate Acts as a Chemical Chaperone on Misfolded Myocilin to Rescue Cells from Endoplasmic Reticulum Stress and Apoptosis. *Investigative Ophthalmology & Visual Science*, April 2007, Vol. 48, No.4.

Roth J, Yam GH-F, Gaplovska-Kysela K, Zuber C. Russell body formation and apoptosis in myocilin-caused primary open-angle glaucoma; rescue by the chemical chaperone sodium 4-phenylbutyrate. *FASEB Journal* 2007; 21 (5): A182.

Jeng Y-Y, Lin N-T, Chang P-H, Huang Y-P, Pang VF, Liu C-H, Lin C-T. Retinal ischemic injury rescued by sodium 4-phenylbutyrate in a rat model. *Exp Eye Res* 2007; 84 (3): 486-492.

RHEUMATOID ARTHRITIS

Yih-Lin Chung, Ming-Yuan Lee, Ae-June Wang, Lin-Fen Yao. Therapeutic Strategy Uses Histone Deacetylase Inhibitors to Modulate the Expression of Genes Involved in the Pathogenesis of Rheumatoid Arthritis. *Molecular Therapy* Vol. 8, No. 5, November 2003

DIABETES

Srinivasan K, Sharma SS. Sodium Phenylbutyrate ameliorates focal cerebral ischemic/reperfusion injury associated with comorbid type 2 diabetes by reducing endoplasmic reticulum stress and DNA fragmentation. *Behav Brain Res* Nov 20, 2011; 225(1); 110-6

Xiao, C., Giacca, A., Lewis, G.F. Sodium Phenylbutyrate, a Drug With Known Capacity to Reduce Endoplasmic Reticulum Stress, Partially Alleviates Lipid-Induced Insulin Resistance and β -Cell Dysfunction in Humans. *Diabetes Journal*, December 2010

Brend Ray-Sea Hsu, Sxu-Tan Chen, Shin-Huei Fu. Enhancing engraftment of islets using perioperative sodium 4-phenylbutyrate. *International Immunopharmacology* 6 (2006) 1952-1959

Ozcan U., Yilmaz E., Ozcan L., et al. Chemical chaperones reduce ER stress and restore glucose homeostasis in a mouse model of type 2 diabetes. *Science* 2006; 313:1137-40.

Fu S.H., Chen S.T., Hsu B.R.S, Attenuation of Primary Nonfunction for Syngeneic Islet Graft Using Sodium 4-Phenylbutyrate. *Transplantation Proceedings*, 37, 1830-1831 (2005).

LIVER

Van der Velden, L.M., Stapelbroek, J.M., Krieger, E., et al. Folding defects in P-type ATP 8B1 associated with hereditary cholestasis are ameliorated by 4-phenylbutyrate. *Hepatology*.2010;51(1):286-96

Hayashi, Hisamitsu and Sugiyama, Yuichi. 4-Phenylbutyrate Enhances the Cell Surface Expression and the Transport Capacity of Wild-Type and Mutated Bile Salt Export Pumps. *Hepatology* 2007. 45:1506-1516.

Vilatoba M., Eckstein C., Bilbao G., Smyth C.A., Jenkins S. Thompson J.A., Eckhoff D.E., Contreras J.L.
Sodium 4-phenylbutyrate protects against liver ischemia reperfusion injury by inhibition of
endoplasmic reticulum-stress mediated apoptosis. *Surgery* Aug 2005; 138:342-51.

ADDICTION

Romieu P, Host L, Gobaille S, Sandner G, Aunis D, Zwiller J. Histone deacetylase inhibitors decrease
cocaine but not sucrose self-administration in rats. *J Neurosci* 2008; 28 (38): 9342-9348

ISCHEMIC SPINAL CORD DAMAGE

Mizukami, T., Orihashi, K., Hertambang, B., Takahashi, S., Hamaishi, M., Okada, K., Sueda, T. Sodium 4-
Phenylbutyrate protects against spinal cord ischemia by inhibition of endoplasmic reticulum stress.
Journal of Vascular Surgery, Vol. 52, Issue 6, Page 1580-1586, December 2010

MAPLE SYRUP URINE DISEASE

Lee, Brendan. Use of Sodium Phenylbutyrate for Treatment of Maple Syrup Urine Disease (MSUD)
*American Society of Human Genetics Annual Meeting and The 11th International Congress on
Inborn Errors of Metabolism Meeting*, 2009.

Brunetti-Pierri, N., Lanher, B., Erez, A., Ananieva, E.A., Islam, M., Marini, J.C., Sun, Q., Yu, C., Hegde, M.,
Li, J., Wynn, R.M., Chuang, D.T. Hutson, S., Lee, B. Phenylbutyrate Therapy for Maple Syrup Urine
Disease. *Hum. Mol. Genet.* November 23, 2010.

ENDOPLASMIC RETICULUM STRESS

Choi SW, Ryu OH, Choi SJ, Song IS, Bleyer AJ, Hart TC. Mutant tamm-horsfall glycoprotein accumulation
in endoplasmic reticulum induces apoptosis reversed by colchicines and sodium 4-phenylbutyrate. *J
Am Soc Nephrol* 2005; 16 (10): 3006-3014.

Kubota K, Niinuma Y, Kaneko M, Okuma Y, Sugai M, Omura T, Uesugi M, Uehara T, Hosoi T, Nomura Y.
Suppressive effects of 4-phenylbutyrate on the aggregation of Pael receptors and endoplasmic
reticulum stress. *J Neurochem* 2006; 97 (5): 1259-1268.

Yam GF-F, Gaplovska-Kysela K, Zuber C, Roth J. Sodium 4-phenylbutyrate acts as a chemical chaperone
on misfolded myocilin to rescue cells from endoplasmic reticulum stress and apoptosis. *J Invest
Ophthalmol Vis Sci* 2007; 48 (4): 1683-1690.

Jang H-J, Jung J, Ha E-S, Choi S-E, Jung S, Kim H, Kim F, Kang Y, Lee K-W. 4PBA (4-phenylbutyrate)
reduced palmitate-induced endoplasmic reticulum stress and apoptosis in HUVEC. *Diabetologia*
2007; 50 (1): S278.

SCHIZOPHRENIA

Sandner, Guy, Host, Lionel, Angst, Marie-Josée, Guiberteau, Thierry, Guignard, Blandine, Zwiller, Jean.
The HDAC inhibitor phenylbutyrate reverses effects of neonatal ventral hippocampal lesion in rats.
Frontiers in Psychiatry January 7, 2011 doi:10.3389/fpsyt.2010.00153

OBESITY

Basseri Sana, Lhotak Sarka, Sharma Arya M, Austin Richard C. The chemical chaperone 4-phenylbutyrate inhibits adipogenesis by modulating the unfolded protein response. *Journal of Lipid Research* May 2009

MISCELLANEOUS RESEARCH & ARTICLES

Iannitti T, Palmieri B. Clinical and experimental applications of sodium phenylbutyrate. *Drugs R D* 2011 Sept 1; 2011(3):227049.

Phenylbutyrate therapy for maple syrup urine disease. *Molecular Genetics*, January 24, 2011

Rougé, C, Des Robert, C, Robins, A, Le Bacquer, O, Volteau, C, DeLaCocheitière, M-F, Darmaun, D. Manipulation of Citrulline Availability in Humans. *Am J Physiol Gastrointest Liver Physiol* 293: G1061-G1067, 2007.

Caruthers R.L., Johnson C.E. Stability of extemporaneously prepared sodium phenylbutyrate oral suspensions. *Am J Health-Syst Pharm* – Vol 64, July 15, 2007.

Caruthers RL. Stability of sodium phenylbutyrate in two oral liquid vehicles. *ASHP Midyear Clinical Meeting*. 2006; 41.

Kasumov T., Brunengraber L.L., Comte B., Puchowicz M., Jobbins K., Thomas K, David F., Kinman R., Wehrli S., Dahms W., Kerr D., Nissim I., Brunengraber H. New Secondary Metabolites of Phenylbutyrate in Humans and Rats. *Drug Metabolism and Disposition* Vol. 32, No. 1 32:10-19, 2004.

DISCLAIMER: The information presented is intended for educational purposes only for investigators and sponsors of clinical trials that are the subject of an investigational new drug application.



Scandinavian Formulas
140 East Church Street, Sellersville PA 18960 USA
Tel: 215-453-2507 Fax: 215-257-9781
info@spb11.com